




Acer palmatum 'Bloodgood'



Výška	8 - 10 (12) m
Šírka	8-10m
Koruna	broad ovoid to obovoid, dark, dense crown, capricious growing
Kôra a vetvy	smooth, grey-brown
Listy	palmatifid with 5 to 7 leaf segments, blackish red
Jesenné sfarbenie	Červená
Kvety	red flower corymbs, May
Plody	single seeds, winged, always in pairs, red
Trne	Žiadny
Jedovatosť	Zvyčajne nie je jedovaté pre ľudí a väčšie zvieratá
Typ pôdy	any, except clay, and not too dry
Spevnené plochy	Netoleruje spevnené plochy
Zóna odolnosti	6 (-23,3 do -17,8 °C)
Odolnosť voči vetru	moderate
Ostatná odolnosť	Odolné mrazu (WH 1–6)
Použitie	stromy do nádob, strešné záhrady, malé záhrady, dvory
Tvar	Vysokokmeň, Viackmeň
Pôvod	Bloodgood Nurseries, New York, NJ, USA, before 1940

Magnificent, large shrub that grows to become a small tree and can grow to over 10 m high in exceptional cases. 'Bloodgood' originated as a seedling of 'Atropurpureum', but clearly differs from the latter. For example, the crown is significantly narrower and the leaves are blackish red throughout summer, turning in autumn to a beautiful deep red. The fruit is also a more intense red. 'Bloodgood' is propagated not only by grafting; it also strikes well from cuttings. Plants propagated from struck cuttings do grow more slowly than grafted examples. Although named by Bloodgood Nurseries in the USA, it is sometimes suggested that 'Bloodgood' was discovered by the Ebbing & Van Groos nursery in Boskoop (NL) and exported to the USA.