



Koelreuteria paniculata

'September'



Výška	7 - 17 m
Šírka	7-15m
Koruna	broad, almost round, somewhat irregular, light, open crown
Kôra a vetvy	grey-brown, slightly grooved
Listy	(doubly) pinnate, dull green, 30 - 35 cm, feathered leaf
Jesenné sfarbenie	Žltá, Oranžová
Kvety	yellow, in large terminal plumes, August/September
Plody	bladder-shaped, bronze in colour, seeds black, Ø approx. 4.5 cm
Tŕne	Žiadny
Jedovatosť	Zvyčajne nie je jedovaté pre ľudí a väčšie zvieratá
Typ pôdy	makes very few demands on the soil, stands up to dry conditions
Pôdna vlhkosť	Vhodné do suchých pôd
Spevnené plochy	Netoleruje spevnené plochy
Zóna odolnosti	6b (-20,5 do -17,8 °C)
Odolnosť voči vetru	moderate
Ostatná odolnosť	Odolné mrazu (WH 1–6)
Stromy pre zvieratá a hmyz	Odolné mrazu (WH 1–6), Cenné pre motýle
Použitie	stromy do nádob
Tvar	Vysokokeň, Viackmeň
Pôvod	Indiana University, Bloomington, USA, 1960

This American selection initially shows a slower growth rate than the species. The rounded crown grows steadily broader. Widely-spread branches bend downwards. The large, pinnate (sometimes doubly pinnate) leaves consist of 7 - 15 leaf segments. These are lobed, approx. 7 - 10 cm in length and have a serrated edge. The leaves are a bronze colour in the spring and turn yellow to orange in the autumn. The numerous small, yellow flowers are in terminal plumes approx. 30 cm long. The tree flowers 6 - 8 weeks later than the species and the flowers are often very numerous. The bladder-like fruit, approx 4.5 cm long, change colour from green to bronze and contain a few black seeds. The fruit remains on the tree for a long time. This tree prefers a sheltered site since young specimens can suffer frost damage, but recover well.