




## Morus alba 'Laciniata'



<b>Výška</b>	5 - 8 m
<b>Šírka</b>	6-8m
<b>Koruna</b>	round, half-open crown
<b>Kôra a vetvy</b>	twigs lightly curved to zigzag, grey-green, bark grey-brown, grooved
<b>Listy</b>	ovate to variable lobed, sometimes dissected on one side, dark bronze-green, 8 - 20 cm
<b>Jesenné sfarbenie</b>	Žltá
<b>Kvety</b>	inconspicuous in pendent catkins, exclusivel? male, May/June
<b>Plody</b>	creamy white to lilac, 1 - 2 cm, edible fruits
<b>Tríne</b>	Žiadny
<b>Jedovatosť</b>	Zvyčajne nie je jedovaté pre ľudí a väčšie zvieratá
<b>Typ pôdy</b>	light and well drained, preferably calcareous
<b>Pôdna vlhkosť</b>	Vhodné do suchých pôd
<b>Spevnené plochy</b>	Netoleruje spevnené plochy
<b>Zóna odolnosti</b>	5a (-28,8 do -26,1 °C)
<b>Odolnosť voči vetru</b>	moderate
<b>Ostatná odolnosť</b>	Odolné mrazu (WH 1–6)
<b>Stromy pre zvieratá a hmyz</b>	Odolné mrazu (WH 1–6), Plody ako potrava pre vtáctvo
<b>Tvar</b>	Vysokokmeň, Viackmeň

Grows from a large shrub into a medium-size tree from 5 to 8 m tall. By nature often multi-stem. The crown is open and has quite tangled branching. The young twigs are grey-green and strikingly curved to zigzag. The leaf is ovate and entire to irregularly lobed and dissected. In many cases only one half of the leaf is dissected while the other half is entire. The tip of the leaf tapers to a long point and the margin is serrated-crenated. Turns yellow in autumn. Morus alba is naturally monoecious and 'Laciniata' is a female cultivar. After the inconspicuous blossom, mulberries may form. They are creamy white to lilac, slightly smaller than the species. They are edible like the species. Saplings are sensitive to frost. Preferably plant in a sunny, warm and sheltered site. Favours calcareous soils and grows in infertile soil.