



## Sorbus aucuparia 'Sheerwater Seedling'



|                            |  |
|----------------------------|--|
| Výška                      | 10 - 12 m  |
| Šírka                      | 4-5m   |
| Koruna                     | spherical to narrow ovoid, half-open crown                                       |
| Kôra a vetvy               | light grey, smooth bark, twigs brown   |
| Listy                      | imparipinnate, up to 20 cm long, 9 -17 (21) leaflets, grey-green, feathered leaf |
| Jesenné sfarbenie          | Žltá, Červená  |
| Kvety                      | in umbels, Ø approx. 14 cm, white, May, when the leaves emerge                   |
| Plody                      | orange-red, Ø approx. 1 cm, in large umbels                                      |
| Tŕne                       | Žiadny   |
| Jedovatosť                 | Zvyčajne nie je jedovaté pre ľudí a väčšie zvieratá                              |
| Typ pôdy                   | makes few demands, can grow on poor soils  |
| Pôdna vlhkosť              | Vhodné do suchých pôd  |
| Spevnené plochy            | Toleruje čiastočné spevnenie   |
| Zóna odolnosti             | 4 (-34,4 do -28,9 °C)  |
| Odolnosť voči vetru        | good   |
| Ostatná odolnosť           | Odolné mrazu (WH 1–6), Odolné vetru  |
| Stromy pre zvieratá a hmyz | Odolné mrazu (WH 1–6), Odolné vetru, Plody ako potrava pre vtáctvo               |
| Použitie                   | bulváre a široké ulice, úzke ulice, stromy do nádob, strešné záhrady             |
| Tvar                       | Vysokokmeň, Viackmeň   |
| Pôvod                      | England, circa 1950  |

Ascending, fast-growing tree with a closed spherical crown that becomes ovoid later. The eventual height is approx. 12 m and the tree becomes 4 to 5 m broad. The trunk and branches grow vertically; the smooth trunk is light grey. Young twigs are brown and bear many lenticels. It is distinguished from the species by the grey-green colour of the imparipinnate leaves that turn yellowish-red in the autumn. The small fragrant flowers appear in large umbels. The numerous orange-red fruits appear very early, in July and August. The birds are very keen on them. 'Sheerwater Seedling' grows best on sandy soil that is not too moist and in a sunny site.