




Zanthoxylum schinifolium



Áno

Výška	3 - 4 m
Šírka	3-4m
Koruna	round, half-open crown, capricious growing
Kôra a vetvy	twigs brown, with one flat thorn under each bud, bark grey
Listy	imparipinnate with 11 - 21 leaf segments, elongated-oval, dark green, 2 - 3 cm, feathered leaf
Jesenné sfarbenie	Žltá
Kvety	in axillary clusters, green to brown-green, July/August
Plody	fleshy, round capsules, green to brownish red, aromatic
Tríne	Áno
Jedovatosť	Zvyčajne nie je jedovaté pre ľudí a väčšie zvieratá
Typ pôdy	few requirements
Spevnené plochy	Netoleruje spevnené plochy
Zóna odolnosti	6 (-23,3 do -17,8 °C)
Odolnosť voči vetru	fairly to good
Ostatná odolnosť	Odolné mrazu (WH 1–6), Odolné vetru
Stromy pre zvieratá a hmyz	Odolné mrazu (WH 1–6), Odolné vetru, Cenné pre motýle
Použitie	stromy do nádob, strešné záhrady
Tvar	Vysokokmeň, Viackmeň
Pôvod	Eastern China, Korea, Japan

Grows from a shrub shape to small, sometimes multi-stemmed tree with a round crown. On the twigs there is a flat thorn under each bud. On mature bark, these thorns are sometimes visible as small bumps. The graceful, imparipinnate leaves consist of 11 to 21 dark green, elongated-oval leaf segments. The leaf margins have fine rounded teeth and dissected tips. The leaf stem is bare and has fine prickles on the underside. In autumn the leaf turns yellow. The compact clusters of green to brown-green flowers open in July and August. They are followed by small green to brown-red, spherical, fleshy capsules that contain black seeds. As with *Z. piperitum*, in Japan the seeds are ground and used as pepper. A park tree that has few soil requirements.