

https://www.vdberk.sk/index.php/stromy/quercus-cerris-summer-veil/



Quercus cerris 'Summer Veil'



| Výška | 8-10 m |
|------------------|--|
| Šírka | 3-4m |
| Koruna | broad conical, later round |
| Kôra a vetvy | twigs grey-brown to grey-green, felt-like, bark almost black, roughly grooved |
| Listy | elongated to oval, lobes are very deeply dissected, green, 6 – 12 cm |
| Plody | long ovoid, 2.5 - 3 cm, in groups of 1 - 4, cupule with long, narrow reflexed scales |
| Tŕne | Žiadny |
| Jedovatosť | Zvyčajne nie je jedovaté pre ľudí a väčšie zvieratá |
| Typ pôdy | preferably limy |
| Pôdna vlhkosť | Vhodné do vlhkých pôd |
| Spevnené plochy | Netoleruje spevnené plochy |
| Zóna odolnosti | 6a (-23,3 do -20,6 °C) |
| Ostatná odolnosť | Odolné mrazu (WH 1–6), Odolné vetru, Odolné posypovej soli |
| Použitie | pobrežné zóny, priemyselné oblasti |
| Tvar | Vysokokmeň |
| Pôvod | Boomkwekerij M.M. Bömer, Zundert, The Netherlands, 1995 |

Medium-sized tree with a somewhat irregular broadly conical to round crown. Grows significantly slower than the species and eventually stays smaller. The trunk has less thickness growth and the twigs are relatively thin. The most striking feature of 'Summer Veil' is its very deeply lobed leaves. The leaves are lobed to the main vein in many places. In turn, the pointed lobes are also coarsely toothed. The foliage is green in summer, turning yellow-brown in autumn and remaining on the tree until deep into winter, when it dries out. Prone to bark cracking in frost. The deeply lobed leaves give the tree an attractive, fine texture. This cultivar originated as a seedling of Q. cerris and was marketed by Van den Berk Nurseries, Sint-Oedenrode, the Netherlands.