




Taxus cuspidata



Výška	2.5 - 5 m
Šírka	3-5m
Koruna	spherical, irregular, later broader, dark, dense crown
Kôra a vetvy	reddish brown, flaking bark, twigs green
Listy	needles, deep dark green, 1.5 - 3 cm, evergreen
Kvety	unremarkable, dioecious, ? yellow buds, ? green
Plody	brownish black seeds, covered 4/5 with a fleshy, red case
Tríne	Žiadny
Jedovatosť	Má jedovaté časti
Typ pôdy	sandy, loamy soil, well-permeable
Spevnené plochy	Netoleruje spevnené plochy
Zóna odolnosti	5a (-28,8 do -26,1 °C)
Odolnosť voči vetru	good
Ostatná odolnosť	Odolné mrazu (WH 1-6), Odolné vetru
Stromy pre zvieratá a hmyz	Odolné mrazu (WH 1-6), Odolné vetru, Plody ako potrava pre vtáctvo
Použitie	stromy do nádob, strešné záhrady, priemyselné oblasti, malé záhrady, dvory
Tvar	Vzorový ihličnan
Pôvod	Eastern Asia

Slow-growing, densely branched shrub that can grow into an irregular, multi-trunked tree. In its natural habitat, it grows to a height of up to 15 - 20 m, but when cultivated it does not attain heights of more than 5 m. The trunk is reddish brown and flaky. The branches spread as they grow and are somewhat vertical, dense with short lateral branches. The very dark green needles are linear and taper to a point. They are lighter green underneath and the short stem is yellowish. After unremarkable flowers, seeds appear that are covered 4/5 by a fleshy, red case of approx. 0.5 cm. This species is cultivated often in the US and Canada because it is more winter-hardy than *T. baccata*. In Europe, *T. cuspidata* is used generally for pruning (bonsai) shapes, owing to its multi-trunked growth.