

https://www.vdberk.sk/stromy/aesculus-hippocastanum-umbraculifera/



Aesculus hippocastanum 'Umbraculifera'



| Výška | 4 - 5 m, depending on the breed |
|----------------------------|---|
| Šírka | 3-4m |
| Koruna | globular, later mushroom shaped, compact, dark, dense crown |
| Kôra a vetvy | thin, brown and smooth bark, sticky buds |
| Listy | palmate, 5/7 leaflets, dark green, circa 20 cm |
| Kvety | erect panicles, white, May/June |
| Plody | prickled, 1 to 3 shiny brown chestnuts |
| Tŕne | Žiadny |
| Jedovatosť | Zvyčajne nie je jedovaté pre ľudí a väčšie zvieratá |
| Typ pôdy | few requirements, tolerant to hard surfaces, no asphalt |
| Spevnené plochy | Toleruje spevnenie |
| Zóna odolnosti | 4 (-34,4 do -28,9 °C) |
| Odolnosť voči vetru | moderate to good |
| Ostatná odolnosť | Odolné mrazu (WH 1–6) |
| Stromy pre zvieratá a hmyz | Odolné mrazu (WH 1–6), Cenné pre včely (medonosné) |
| Použitie | malé záhrady |
| Tvar | Vysokokmeň |
| Pôvod | unknown, before 1884 |
| | |

Grown on its own root, this cultivar forms a balanced shrub that is very close and entirely spherical. In that case it can reach a height and a width of 3 m. 'Umbraculifera' is usually top-grafted on rootstock (A. hippocastanum). The graft height is 2.20 m as a rule, sometimes 2.40 m. In this way a nicely shaped tree is formed that is very suitable for smaller gardens and narrow streets and avenues. The opposite leaves can reach 20 cm across. In autumn they colour into yellow brown. The inflorescence is the same as of the A. hippocastanum, only the panicles are shorter. The colouring from yellow into red of the macule (spot in the leaf) is striking. The root growth is obviously less profuse than of the species. The tree is susceptible to salt (for icy roads).